

Advanced Coating Systems, Inc.,
 2230 Towne Lake Pkwy.
 Bldg.1000, Ste.140
 Woodstock, GA 30189
 678-445-0040
www.energy-seal.com

Assembly Detail ?

Assembly Properties:

Assembly #: 1195-50873-0
Roof System: Liquid Applied System
Application: Re-Cover
Cover Securement: Fully Adhered
Deck Type: Existing Roof
Structure Type: existing structure
Slope: 2.000
Wind Uplift*: 090
Internal Fire: 1
Exterior Fire: A
Hail: Severe Hail

* The Wind Uplift rating is for the field of the roof only. FM Approved roofs must also have corner and perimeter enhancements and, with the exception of Standing/Lap Seam roofs, FM Approved perimeter flashing. For details, see FM Global [Property Loss Prevention Data Sheets 1-29](#) and [1-49](#). For Standing/Lap Seam roofs, see [Property Loss Prevention Data Sheet 1-31](#).

Add Scenario Close

1 (Cover, Liquid Applied) Top Coat			(1)
Advanced Coating Systems	Acu-Shield Elastomeric Coating	Active	View
2 Existing Roof			(3)
Existing Construction Approved at Time of Installation	existing insulated metal standing or lap seam roof cover	Active	View
Existing Construction Approved at Time of Installation	existing metal faced composite panel roof cover	Active	View
Existing Construction Approved at Time of Installation	existing uninsulated metal standing or lap seam roof cover	Active	View
3 Structure			(1)
existing structure			View

Add Scenario Close