


SAFETY DATA SHEET

SECTION 1- CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: ACU-METAL PRIMER
Product use: Acrylic primer for metal roofing and other substrates
Chemical Family: Acrylic polymer pigments, fillers and water mixture
Manufacturer Name: Advanced Coating Systems, Inc.
Street Address: 2230 Towne Lake Pkwy, Bldg.1000 Ste.150
City: Woodstock **State:** GA **Zip Code:** 30189 **Phone:** (678)445-0040
Emergency Telephone: INFOTRAC, 24hrs – (800)535-5053

SECTION 2- HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

Physical hazards	Not classified	
Health hazards	Carcinogenicity	Category 2
Environmental hazards	Hazardous to aquatic environment, acute hazard	Category 3
OSHA defined hazards	Not classified	
Label elements		
Signal word	Warning	
Hazard statement	May cause cancer. Harmful to aquatic life	
Precautionary statement		
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.	
Response	If exposed or concerned: Get medical advice/attention.	
Storage	Store locked up.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known	

SECTION 3- COMPOSITION AND INFORMATION ON INGREDIENTS

Components	CAS Number	% by Wt
Acrylic co-polymer	Trade secret	35 max
Zinc Phosphate	7779-90-0	15 max
Calcium Carbonate	1317-65-3	10 max
DM Glycol Ether	111-77-3	5 max
Glycol Ether Solvent	112-34-5	5 max
Dibutyl Phthalate	84-74-2	5 max
Iron Oxide	1332-37-2	3.5 max
Water	7731-18-5	40 max

POTENTIAL HEALTH EFFECTS:

Skin	May Cause Drying
Eyes	May Cause Irritation
Inhalation	N/K
Ingestion	May result in nausea, vomiting, and/or diarrhea

SECTION 4- FIRST-AID MEASURES

Eye Contact:	Flush with large amounts of potable water for 10 to 15 minutes
Skin Contact	If prolonged contact occurs, rinse thoroughly with water. If spilled on clothing, change clothing If symptoms persist or reoccur, seek medical attention.
Other:	KEEP OUT OF REACH OF CHILDREN. If swallowed, give a glassful of water. Call a physician. In case of eye contact, flush with water.

SECTION 5- FIRE AND EXPLOSION HAZARDS

Flammability (if yes under what conditions):	Non-Combustible
Flash Point (°F) & Method of determination	N/A
Upper Flammability (% by volume)	N/A
Lower Flammability (% by volume)	N/A
Auto-Ignition Temp (°F)	N/A
Explosion Data	N/A
Hazardous Combustion Products	N/A
Sensitivity to Static Discharge	N/A

SECTION 6- ACCIDENTAL RELEASE MEASURES

Personal Precautions:	None
Environmental Precautions:	DISPOSAL IS TO BE PERFORMED IN COMPLIANCE WITH ALL REGULATIONS. Small quantities may be disposed of in refuse or in sewer. First check with your local water treatment plant. For larger quantities, incineration is preferred. Do not landfill.
Steps To Be Taken in Case Material is Released or Spilled:	Keep spectators away. Floor may be slippery, use care to avoid falling. Sorbents may be used. Scoop or shovel solid material into a suitable container for recovery or disposal. Keep spills out of municipal sewers and open bodies of water.

SECTION 7- HANDLING AND STORAGE

STORAGE REQUIREMENTS:	Do not store above 120 °F (48°C) or below 40°F (4°C)
SPECIAL HANDLING INFORMATION	Do not allow to freeze, protect containers from rupture.

SECTION 8- EXPOSURE CONTROLS AND PERSONAL PROTECTION

RESPIRATORY PROTECTION:	Not applicable
EYE PROTECTION:	If splash is likely, chemical goggles may be needed.
SKIN:	Wear impervious gloves and clothing should be used for prolonged contact
VENTILATION:	None required with normal use

SECTION 9- PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	Liquid
APPEARANCE AND ODOR:	Red moderately thick liquid, mild ammoniacal odor
BOILING POINT:	212°F (100°C)
FREEZING POINT:	32°F (0°C)
DENSITY (LB/GAL):	9.25 +/- 0.5
Ph:	>8.0 +/- 0.5
VAPOR PRESSURE:	K/N
SOLUBILITY:	Completely soluble in water
EVAPORATION RATE:	Slower than ether
V.O.C	122 g/L

SECTION 10- STABILITY AND REACTIVITY

CHEMICAL STABILITY:	Stable
CONDITIONS OF REACTIVITY:	N/A
HAZARDOUS POLYMERIZATION:	N/K
HAZARDOUS DECOMPOSITION PRODUCTS:	N/K

SECTION 11- TOXICOLOGICAL INFORMATION

Components	CAS Number.	LD50	ACGIH TLV-TWA
Zinc Phosphate	7779-90-0	>552 MG/KG, oral rat	10 MG/M3
Calcium Carbonate	1317-65-3	N/A	3 MGM3
DM Glycol Ether	111-77-3	>7000 MG/KG, oral rat	Not established
Glycol Ether Solvent	112-34-5	7292 MG/KG, oral rat 2406 MG/KG, oral mouse	Not established
Dibutyl Phthalate	84-74-2	20,000 MG/KG, oral rat	5 MGM3
Iron Oxide	1332-37.2	N/A	Not establish

SECTION 12- ENVIRONMENTAL INFORMATION

This product may cause adverse environmental effects if used improperly or released into the environment through a spill. Employ best management practices to prevent this material from entering storm sewer systems, waterways or otherwise impacting plant and animal species.

SECTION 13- DISPOSAL CONSIDERATIONS

Disposal procedures must be in accordance with local regulations. Responsibility for proper waste disposal is with the owner of the waste.

SECTION 14- TRANSPORT INFORMATION

DOT PROPER SHIPPING NAME:	Not regulated
DOT HAZARD CLASSIFICATION:	Not classified as a hazardous material under HM 181
DOT LABELING REQUIREMENTS:	N/A

SECTION 15- REGULATORY INFORMATION

TOXIC SUBSTANCES CONTROL ACT (TSCA): All components of this product are listed on the TSCA inventory.
SECTION 311/312 HAZARD CATEGORIES: This product has been reviewed according to the EPA Hazard Categories promulgated under 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories.

SECTION 15.3 REPORTABLE INGREDIENTS:

CHEMICAL NAME	CAS Number
Zinc Phosphate	7779-90-0
Glycol Ether Solvent	112-34-5
Dibutyl Phthalate	84-74-2

SECTION 16- OTHER USEFUL INFORMATION

DATE ISSUED:	12/17/2015
REVISION:	01/2/2016
SDS REF. No:	Acu-Metal Prime
REVISION INDICATOR:	1.2

For Your Protection: Advanced Coatings Systems, Inc. warrants only that its products meet the specifications stated in the sales contract. Typical properties, where stated, are to be considered as representative of current production and should not be treated as specifications. While all the information presented in this document is believed to be reliable and to represent the best available data on these products, NO GUARANTY, WARRANTY, OR REPRESENTATION IS MADE, INTENDED, OR IMPLIED AS TO THE CORRECTNESS OR SUFFICIENCY OF ANY INFORMATION, OR AS TO THE MERCHANTABILITY OR SUITABILITY OR FITNESS OF ANY CHEMICAL COMPOUNDS OR OTHER PRODUCTS OR THE USE THEREOF ARE NOT SUBJECT TO A CLAIM BY A THIRD PARTY FOR INFRINGEMENT OF ANY PATENT OR OTHER INTELLECTUAL PROPERTY RIGHT. THE USER SHOULD CONDUCT SUFFICIENT INVESTIGATION TO ESTABLISH THE SUITABILITY OF ANY PRODUCT FOR ITS INTENDED USE. Liability of Advanced Coatings Systems, Inc. for all claims, whether arising out of breach of warranty, negligence, strict liability, or otherwise, is limited to the purchase price of the material. Products may be toxic and require special precautions in handling. For all products listed, the user should obtain detailed information on toxicity, together with proper shipping, handling, and storage procedures, and comply with all applicable safety and environmental standards. Toxicity and risk characteristics of chemical compounds and other products may differ when used with other materials or in a manufacturing or other process. Those risk characteristics should be determined by the user and made known to handlers, processors, and end users.

End of Material Safety Data Sheet

